L Number	Hits	Search Text	DB	Time stamp
33	11	((("5528698") or ("6116640") or ("6198998") or ("6459974") or ("6577936") or ("5890085") or ("6026340") or ("6272411") or ("5051751") or ("4179696") or ("6018693") or ("4625329") or ("5229835") or ("5256904")).PN.) and (predict$5 or estimat$4 or approximat$4)	USPAT; US-PGPUB	2004/08/08 17:39
34	12	(US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$ or US-6431592-$ or US-6292727-$ or US-5673932-$ or US-5570301-$ or US-5280530-$).did.	USPAT; US-PGPUB	2004/08/08 17:14
35	4	(((US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$ or US-6431592-$ or US-6292727-$ or US-5673932-$ or US-5570301-$ or US-5280530-$).did. or (US-20020082756-$).did.) and kalman$2	USPAT; US-PGPUB	2004/08/08 17:14
32	15	(("5528698") or ("6116640") or ("6198998") or ("6459974") or ("6577936") or ("5890085") or ("6026340") or ("6272411") or ("5051751") or ("4179696") or ("6018693") or ("4625329") or ("4985835") or ("5229943")).PN.	USPAT; US-PGPUB	2004/08/08 17:36
36	1	("6662093").PN.	USPAT; US-PGPUB	2004/08/08 17:24
37	8	(("5074583") or ("5366241") or ("5398185") or ("5446661") or ("5413378") or ("5490069") or ("5983147") or ("6005958")).PN.	USPAT; US-PGPUB	2004/08/08 17:36
38	7	(("5074583") or ("5366241") or ("5398185") or ("5446661") or ("5413378") or ("5490069") or ("5983147") or ("6005958")).PN. and (predict$5 or estimat$4 or approximat$4)	USPAT; US-PGPUB	2004/08/08 17:39
64	35	((US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$ or US-6431592-$ or US-6292727-$ or US-5673932-$ or US-5570301-$ or US-5280530-$).did. or (US-20020082756-$).did. or (US-200200007753-$).did.) or ((("5074583") or ("5366241") or ("5398185"))) or ((("5528698") or ("6116640") or ("6198998") or ("6459974") or ("6577936") or ("5890085") or ("6026340") or ("6272411") or ("5051751") or ("4179696") or ("6018693") or ("4625329") or ("5229943")).PN.)	USPAT; US-PGPUB	2004/08/08 19:47
65	5	(((US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$ or US-6431592-$ or US-6292727-$ or US-5673932-$ or US-5570301-$ or US-5280530-$).did. or (US-200200007753-$).did. or (US-20020082756-$).PN.)) and bosch$3	USPAT; US-PGPUB	2004/08/08 19:48
	8111	(((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1)).CCLS.	USPAT; US-PGPUB	2004/08/05 14:42
	1847	(((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1)).CCLS. and track$3	USPAT; US-PGPUB	2004/08/05 14:45
	951	((((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1)).CCLS.) and (track$3 near5 motion$2 or movement$2 or position$3))	USPAT; US-PGPUB	2004/08/05 14:43
	140	((((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1)).CCLS.) and track$3 near5 motion$2 or movement$2 or moving$2 or position$3))	USPAT; US-PGPUB	2004/08/05 14:44
	135	(((((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1)).CCLS.) and (track$3 near5 motion$2 or movement$2 or moving$2 or position$3)) and (airbag$2 or (air adj bag$2))	USPAT; US-PGPUB	2004/08/05 14:45
	62	(((((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815,58) or (356/614) or (731/1.79)).CCLS.) and (track$3 near5 motion$2 or movement$2 or moving$2 or position$3))) and (occupant$2 or person$2 or passenger$2 or seat$2) and predict$5	USPAT; US-PGPUB	2004/08/05 14:46

#	Hits	Search Query	DBs	Time Stamp
37		(((((((382/107,291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815.58) or (356/614) or (731/1.79).CCLS.) and track$3 near5 (motion$2 or movement$2 or moving$2 or position$3))) and (airbag$2 or (air adj bag$2))) and (occupant$2 or person$2 or passenger$2 or movement$2 or moving$2 or position$3))) and @rlad<20010710	USPAT; US-PGPUB	2004/08/05 14:46
43		((((((382/107,291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815.58) or (356/614) or (731/1.79).CCLS.) and track$3 near5 (motion$2 or movement$2 or moving$2 or position$3))) and (airbag$2 or (air adj bag$2))) and (occupant$2 or person$2 or passenger$2 or seat$2)) and predict$5) and @rlad<20010710	USPAT; US-PGPUB	2004/08/05 14:46
55		((((((382/107,291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815.58) or (356/614) or (731/1.79).CCLS.) and track$3 near5 (motion$2 or movement$2 or moving$2 or position$3))) and (airbag$2 or (air adj bag$2))) and (occupant$2 or person$2 or passenger$2 or seat$2)) and predict$5) and @rlad<20010710	USPAT; US-PGPUB	2004/08/05 15:09
48		(((((((382/107,291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815.58) or (356/614) or (731/1.79).CCLS.) and track$3 near5 (motion$2 or movement$2 or moving$2 or position$3))) and (airbag$2 or (air adj bag$2))) and (occupant$2 or person$2 or passenger$2 or seat$2)) and predict$5) and (estimat$4 near3 position$3)	USPAT; US-PGPUB	2004/08/05 15:11
20		(((((((382/107,291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815.58) or (356/614) or (731/1.79).CCLS.) and track$3 near5 (motion$2 or movement$2 or moving$2 or position$3))) and (airbag$2 or (air adj bag$2))) and (occupant$2 or person$2 or passenger$2 or seat$2)) and predict$5) and @rlad<20010710)) and estimat$4	USPAT; US-PGPUB	2004/08/06 11:50
6		(US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$).did. or (US-2002082756-$).did.	USPAT; US-PGPUB	2004/08/06 11:50
6		(US-6529809-$ or US-2002082756-$).did.	USPAT; US-PGPUB	2004/08/06 12:27
6		(US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$).did. or (US-2002082756-$).did.) and ((occupant$2 or person$2 or passenger$2 or seat$2) with position$3)	USPAT; US-PGPUB	2004/08/06 12:27
18959		airbag$2 or (air adj bag$2)	USPAT; US-PGPUB	2004/08/06 12:27
2835		(airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)	USPAT; US-PGPUB	2004/08/06 15:43
106		(airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 (occupant$2 or person$2 or passenger$2))	USPAT; US-PGPUB	2004/08/06 15:42
57		(((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 15:27
45		(((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 (occupant$2 or person$2 or passenger$2))) and @rlad<20010710	USPAT; US-PGPUB	2004/08/06 12:30

	Query	Databases	Date
75	(((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5)))	USPAT; US-PGPUB	2004/08/06 12:30
15	(((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710)	USPAT; US-PGPUB	2004/08/06 15:41
60	(((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5))	USPAT; US-PGPUB	2004/08/06 14:39
2861	(air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710) or (((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) not (((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710) or ((((airbag$2 or predict$5 or approximat$5) near3 (occupant$2 or person$2 or passenger$2))) and @rlad<20010710)) and ((past or previous$2 or history) adj3 (estimat$5 or predict$5 or approximat$5)))	USPAT; US-PGPUB	2004/08/06 14:43
95	norton.in. and mi	USPAT; US-PGPUB	2004/08/06 14:42
47	norton.in. and (peter near norton)	USPAT; US-PGPUB	2004/08/06 14:41
27	(norton.in. and (peter near norton)) and mi	USPAT; US-PGPUB	2004/08/06 14:42
1	norton.in. and eaton$2	USPAT; US-PGPUB	2004/08/06 14:43
40	(((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and (predict$5 near3 position$3 near3 (occupant$2 or person$2 or passenger$2))	USPAT; US-PGPUB	2004/08/06 14:25
10	(((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and (predict$5 near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and kalman$2	USPAT; US-PGPUB	2004/08/06 14:27
57	((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and kalman$2	USPAT; US-PGPUB	2004/08/06 14:27
14	(((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and @ad<20010710) and kalman$2	USPAT; US-PGPUB	2004/08/06 14:45
40	(((airbag$2 or (air adj bag$2)) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 15:27
40	(((airbag$2 or (air adj bag$2)) and @rlad<20010710)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and	USPAT; US-PGPUB	2004/08/06 15:27
45	((((airbag$2 or (air adj bag$2)) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and	USPAT; US-PGPUB	2004/08/06 15:27
38	(((((airbag$2 or (air adj bag$2)) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((occupant$2 or passenger$2) near3 position$3)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and kalman$2 and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and kalman$2) and (predict$5 near3 position$3 near3 (occupant$2 or passenger$2))) and kalman$2	USPAT; US-PGPUB	2004/08/06 15:31

Hits	Query	Database	Date
35	(((((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and kalman$2) and @ad<20010710) or (((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and kalman$2) and @rlad<20010710)) not (((((airbag$2 or (air adj bag$2) or (occupant$2 or person$2 or passenger$2) near3 position$3)) and kalman$2) and shap$2	USPAT; US-PGPUB	2004/08/06 15:32
8321	((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))	USPAT; US-PGPUB	2004/08/06 15:41
381	(((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and seat$2	USPAT; US-PGPUB	2004/08/06 15:42
104	((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and seat$2	USPAT; US-PGPUB	2004/08/06 16:16
37	(((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and seat$2) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 16:19
23	((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and seat$2) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 16:21
18	(((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and seat$2) and @ad<20010710 @rlad<20010710	USPAT; US-PGPUB	2004/08/06 15:45
29	((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and seat$2) and @ad<20010710) or ((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and seat$2) and @rlad<20010710)	USPAT; US-PGPUB	2004/08/06 15:45
20464	(track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))	USPAT; US-PGPUB	2004/08/06 16:17
1477	((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3))	USPAT; US-PGPUB	2004/08/06 16:18
2270	((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or movement$2 or position$3)))	USPAT; US-PGPUB	2004/08/06 16:25
204	(((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or movement$2 or position$3))) and ((estimat$5 or predict$5 or approximat$5)) near3 (motion$2 or movement$2 or position$3))	USPAT; US-PGPUB	2004/08/06 16:20
95	((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and ((estimat$5 or predict$5 or forecast$3) near3 position$3) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))	USPAT; US-PGPUB	2004/08/06 16:22
53	((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and ((estimat$5 or predict$5 or forecast$3) near3 position$3) with (occupant$2 or person$2 or passenger$2 or operator$2 or user$2))) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 16:25

#	Hits	Search Query	Databases	Date
47		(((((((track$3 near3 (occupant$2 or person$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3 or movement$2 or moving$2))) and (((estimat$5 or predict$5 or forecast$3) near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710	USPAT; US-PGPUB	2004/08/06 16:21
72		(((((((track$3 near3 (occupant$2 or person$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3 or movement$2 or moving$2))) and (((estimat$5 or predict$5 or forecast$3) near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710)) and ((estimat$5 or predict$5 or forecast$3) near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and @rlad<20010710	USPAT; US-PGPUB	2004/08/06 16:21
70		(((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3 or movement$2 or moving$2))) and (((estimat$5 or predict$5 or forecast$3) near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and @ad<20010710) or (((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3 or movement$2 or moving$2))) and (((estimat$5 or predict$5 or forecast$3) near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710)	USPAT; US-PGPUB	2004/08/06 16:21
2		(((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3 or movement$2 or moving$2))) and (((estimat$5 or predict$5 or forecast$3) near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and @ad<20010710) not ((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or forecast$3) near3 (motion$2 or movement$2 or position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3)) and ((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3) near3 (motion$2 or movement$2 or position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3)) and @rlad<20010710)) and ((estimat$5 or predict$5 or forecast$3) near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3 or movement$2 or moving$2)) and (((estimat$5 or predict$5 or forecast$3) near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710))	USPAT; US-PGPUB	2004/08/06 17:14
5841		((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))	USPAT; US-PGPUB	2004/08/06 16:24

Hits	Query	DB	Date
1156	(((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2	USPAT; US-PGPUB	2004/08/06 16:24
1156	((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3	USPAT; US-PGPUB	2004/08/06 16:24
129	(((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 16:55
74	((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and @ad<20010710) or (((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and track$3) and @rlad<20010710)	USPAT; US-PGPUB	2004/08/06 16:25
58	(((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710	USPAT; US-PGPUB	2004/08/06 16:25
102	((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or (((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710)	USPAT; US-PGPUB	2004/08/06 16:34
17	(((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or (((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710)) and seat$3	USPAT; US-PGPUB	2004/08/06 16:34
55	(((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or (((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710)) and sens$3	USPAT; US-PGPUB	2004/08/06 16:48
46	((((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or (((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710)) and sens$3) not (((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or (((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710)) and seat$3)	USPAT; US-PGPUB	2004/08/06 16:54
436	prediction near updat$3		2004/08/06 16:55
17	(prediction near updat$3) and (track$3 near5 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))	USPAT; US-PGPUB	2004/08/06 17:08
10	09/901805	USPAT; US-PGPUB	2004/08/06 17:09

| 3 | ((((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3 or movement$2 or moving$2))) and (((estimat$5 or predict$5 or forecast$3) near3 position$3)) and (((estimat$5 or predict$5 or forecast$3) near3 position$3) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or ((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3 or movement$2 or moving$2))) and ((estimat$5 or predict$5 or forecast$3) near3 position$3)) and (((estimat$5 or predict$5 or forecast$3) near3 position$3)) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and @ad<20010710)) not ((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and ((occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or user$2) near3 position$3)) and @ad<20010710) or ((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5)) and ((occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or user$2) near3 position$3))) and @ad<20010710))) and (updat$3 near2 (estimat$5 or predict$5 or forecast$3)) | USPAT; US-PGPUB | 2004/08/06 17:14 |
| | | | |